Problem B
Baby Bites
Problem ID: babybites
Time limit: 1 second

Arild just turned 1 year old, and is currently learning how to count. His favorite thing to count is how many mouthfuls he has in a meal: every time he gets a bite, he will count it by saying the number out loud.



Unfortunately, talking while having a mouthful sometimes causes Arild to mumble incomprehensibly, making it hard to know how far he has counted. Sometimes you even suspect he loses his count! You decide to write a program to determine whether Arild's counting makes sense or not.

Input

The first line of input contains an integer n ($1 \leq n \leq 1\,000$), the number of bites Arild receives. Then second line contains n space-separated words spoken by Arild, the i'th of which is either a non-negative integer a_i ($0 \leq a_i \leq 10\,000$) or the string "`mumble`".

Output

If Arild's counting might make sense, print the string "`makes sense`". Otherwise, print the string "`something is fishy`".

Sample Input 1

```
5
1 2 3 mumble 5
```

Sample Output 1

```
makes sense
```

Sample Input 2

```
8
1 2 3 mumble mumble 7 mumble 8
```

Sample Output 2

```
something is fishy
```

Sample Input 3

```
3
mumble mumble mumble
```

Sample Output 3

```
makes sense
```

This page is intentionally left (almost) blank.